



AT1000 Potentiometric Titrator with 1 Burette and 1 Pump - Model AT1112

Product #: AT1112.97

ZAR Price:

Contact Hach

No availability shown

Add your sample, press the button and simply read your titration results

Simplify complex titration with the Titralab AT1000 from Hach. Straight from the box the AT1000 eliminates operator interpretation and manual processes you have come to expect with existing manual titration. The automatic system gives you more reliable results without complicated analysis. To make setup and titration simple, the AT1000 utilizes application specific kits to make it quick and easy for anyone to set up and operate a test.

Accurate and Reliable Titration Results

- Eliminates errors in manual processes and operator interpretation
- Pre-programmed titration methods automatically detect endpoints and perform calculations
- High resolution electronic burette with 20,000 steps
- Automatic sample preparation using embedded peristaltic pump
- High performance probes for reliable measurements

Easy to Use for all Operators

- Press one button to get the correct result
- Operators of all skill levels can get accurate measurements
- No need for custom programming with Hach's unique application specific routines
- Simple user interface with large color display that shows the titration curve as it is measuring
- USB ports to quickly and easily capture data to a PC and attach optional keyboard/mouse or printer

Low Cost of Ownership

- Reduces the amount of reagent used for every titration cutting cost of ownership month after month
- · Increases lab throughput by allowing operator to prepare next sample while titrator performs measurement
- Adding an AS1000 sample changer allows the operator to load multiple samples and come back for results later

Improves Lab Safety

- Minimizes direct contact with reagents
- No need for potentially dangerous colored indicators
- Instrument can be easy and safely moved thanks to the compact design

Low Maintenance

- · Reliable design significantly reduces downtime
- Extended periods between maintenance routines
- Maintenance is simple and easy to perform

Specifications

Application: 5

Automatic Reagent Addition(s): Integrated peristaltic pumps for reagent addition

Beaker Volumes Accepted: System specific beakers: Polypropylene, 50 mL & 150 mL with clips

Generic beakers supported: Up to 250 mL low form glass

Burette: 1

Burette motor resolution: 20,000 steps with electronic µstepping technology (128 µsteps/step)

Burette: Volumes Available: 2.5/5/10/25 mL, ISO8655-3

Calibration curves display: Direct & derivative titration curves, electrode calibration curve

Calibration Intervals/Alerts/Reminder: Yes, user defined period

Data storage: Date, Time, Operator IDs, Sample IDs

Display Type: 5,7"; Graphic colour; VGA

Embedded procedures: Tubing bubble purging, reagent priming, burette and pump replacement

Languages user interface: English, German, French, Italian, Spanish

Maintenance scheduler: Yes, user defined

Measurement method: Potentiometric (zero & imposed current), amperometric, colorimetric

Model: AT1112

Operating conditions: 15 - 35 °C (59 - 95 °F), 20 - 80 % RH, non-condensing

Operating Humidity: 20 - 80 % (non-condensing)

Operating Interface: Soft keypad (silicone)
Operating temperature range: 15 - 35 °C (59 - 95 °F)

Outputs: Electrode ports (x2), USB (x2), Serial (x1), Ethernet (x1)

Parameter: mV/pH, Conductivity, Temperature (°C or °F)

Pollution Degree: 2

Power requirements (Hz): 50/60 Hz
Power requirements (Voltage): 100/240 VAC

Pumps:

Required Application Package/s: AP0003.AT1112 Ca & Mg Hardness in water

AP0010.AT1112 Salt in food products

Resolution: Temperature: ±0.3 °C

Storage conditions: -5 - 40 °C

Titration modes: Sample, blank, sample with blank, QC sample, QC sample with blank
Titration types: Potentiometric (zero & imposed current), amperometric, colorimetric

Warranty: 12 months

Weight: 4 kg

What's included?: 1 ea. AT1112-Titralab AT1000 Titrator

1 ea. LZE144- Power Supply

1 ea. LZE141- 4 position tube holder

1 ea. LZE185- Electrode Storage Tube

1 ea. Basic User Manual

Sold Separately: Don't forget to order your Application Pack and Reagents and consider purchasing an AS1000 Sample Changer.

What's included?

1 ea. AT1112-Titralab AT1000 Titrator 1 ea. LZE144- Power Supply 1 ea. LZE141- 4 position tube holder 1 ea. LZE185- Electrode Storage Tube 1 ea. Basic User ManualSold Separately: Don't forget to order your Application Pack and Reagents and consider purchasing an AS1000 Sample Changer.

Required Accessories

- Titration Application Pack Petrochemistry: R-SH (Thiol) (Item AP0017.AT1112)
- Titration Application Pack Water: Chlorides (Item AP0009.AT1112)
- Titration Application Pack Food & Beverage: Salt (Item AP0010.AT1112)
- Titration Application Pack Water: Ca & Mg Hardness (ISE) (Item AP0003.AT1112)
- Titration Application Pack Beverage: pH, Total Acidity in Beer, Kombucha, Soft Drink/Juice/Energy Drink Bottlers, Single 25 mL (Item AP0025.AT1102)