



Lico 620 Colorimeter for up to five colour scales

Product #: LMV187.53.20001
ZAR Price: Contact Hach

Colorimeter for colour measurements of clear, transparent liquids with reference beam technology. Measures up to five ISO/ASTM colour scales.

Specifications

Beam Height:	10 mm
Colour Scales:	5
Cuvette Compatibility 2:	10 mm rectangular sample cell
Cuvette Compatibility 3:	50 mm rectangular sample cell
Dimensions (H x W x D):	151 mm x 350 mm x 255 mm
Display:	TFT WVGA colour graphic touch-screen
Display Resolution:	480 - 800 pixel
Display Size:	17.8 cm (7 in.)
Display Type:	Colour graphic
Interface:	2x USB Typ A, 1x USB Typ B, 1x Ethernet
Max. operating humidity:	80 %
Memory:	400 colour readings
Model:	Lico 620
Operating temperature range:	10 - 40 °C
Optical System:	0° / 180° rectilinear
Photometric Accuracy:	0.005 Abs at 0 - 0.5 Abs
Photometric Accuracy 2:	1 % at 0.5 - 2.0 Abs
Photometric Linearity:	< 0.5 % to 2 Abs with neutral glass at 546 nm
Photometric Linearity 2:	≤ 1 % with neutral glass at 546 nm
Power Requirement:	110 V - 240 V
Power requirements (Hz):	50/60 Hz
Power requirements (Voltage):	100 - 240 VAC
Reproducibility:	±0.2 % transmission
Sample Cell Compatibility:	11 mm round sample cell

Source Lamp:	Tungsten halogen lamp
Standard illuminant:	C 2°
Standard Observer:	2°
Storage conditions:	-40 °C - 60 °C
Stray radiant power ratio:	< 0.1 %T at 340 nm with NaNO ₂
User Interface:	Touch-screen, ext. USB keyboard
User Interface Languages:	English, French, German, Italian, Spanish, Czech, Dutch, Greek, Polish, Slovene, Slovak, Russian, Turkish, Chinese, Japanese, Korean
Warranty:	12 months
Wavelength Accuracy:	±1.5 nm (wavelength range 340 - 900 nm)
Wavelength Calibration:	Automatic
Wavelength Range:	380 nm - 720 nm used for colorimetric calculations
Wavelength Reproducibility:	≤ 0.1 nm
Weight:	4.2 kg
What's included?:	Instrument, power supply, printed basic user manual, CD with full user manual, 10 mm cell adapter, dust cover

What's included?

Instrument, power supply, printed basic user manual, CD with full user manual, 10 mm cell adapter, dust cover