



Sension+ 9652 Chloride Ion Selective Electrode (ISE) – sensor only

Product #: LZW9652.97.0002

ZAR Price: Contact Hach

Available

Sension+ 9652 is a half-cell (reference not integrated) chloride ion selective electrode (ISE) with an epoxy body and non-replaceable crystalline membrane selective to chloride ions in solution. It is recommended for use with the Sension+ 5044 reference electrode. The 9652 has a fixed 1 meter cable and BNC connector for laboratory use with the Hach Sension+ MM374 Multimeter. The 9652 is ideal for measuring chloride concentrations in wastewater, drinking water and general water quality applications.

Requires virtually no maintenance

The solid-state sensor design allows for DRY storage of the ISE without a shelf life or membrane replacement.

Provides fast, stable, and accurate response in a variety of sample types

1 m

Specifications

Cable Length:

Connector:	BNC Connector
Dimensions (D x L):	12 mm x 120 mm

Electrode Type: Laboratory Half-Cell ISE

Filling Solution:

ISA Required: 2318069 Length: 120 mm

Material: Sensor Body: Epoxy

Parameter: Chloride

Probe Junction:

Range: $1 \text{ mg/L } (3x10^{-6} \text{ M}) -$

35,500 mg/L (1 M) Cl-

Sensor Type: Solid-state crystal membrane

Special Features: Dry storage & fast response time. No replacement membranes.

Temperature Range: 5 - 50 °C

Thermistor:

Type: Lab ISE, reference needed

Warranty: 6 months

What's included?: Includes: Sension+ 9652 Chloride ISE (half-cell) and Basic User Manual.

What's included?

Includes: Sension+ 9652 Chloride ISE (half-cell) and Basic User Manual.

Required Accessories

- Sension+ Electrolyte Solution 0.1M for ISE Electrodes, 125 mL (Item LZW9901.99)
- Chloride Ionic Strength Adjustor (ISA) Powder Pillows, pk/100 (Item 2318069)