



Sension+ ISE combination electrode, chloride, fixed cable, BNC

Product #: LZW9652C.97.002

OBSOLETE ITEM

This item is no longer available.

Sension+ 9652C is a combination chloride ion selective electrode (ISE) with an epoxy body, non-refillable, double junction reference, and non-replaceable crystalline membrane selective to chloride ions in solution. The 9652C has a fixed 1 meter cable and BNC connector for laboratory use with the Hach Sension+ MM340 GLP pH/ISE Laboratory Meter or the Sension+ MM374 Laboratory Multimeter. The 9652C is ideal for measuring chloride concentrations in wastewater, drinking water and general water quality laboratory applications.

Requires virtually no maintenance

The solid-state sensor design allows for DRY storage of the ISE without a shelf life or membrane replacement.

Provides fast, stable, and accurate response in a variety of sample types

Specifications

Accuracy: ± 0.02 mV or 0.05%, whichever is greater (application dependent)

Cable Length: 1 m

Connector: BNC Connector
Dimensions (D x L): 12 mm x 120 mm

Electrode Type: Laboratory Combination ISE Filling Solution: Non-refillable driTEK gel

ISA Required: 2318069 Length: 120 mm

Material: Sensor Body: Epoxy

Parameter: Chloride

Probe Junction: Porous PTFE Annular Ring

Range: $0.1 - 35500 \text{ mg/L C}|^{-1}$

Sensor Type : Solid-state crystal membrane

Special Features: Combination electrode. Maintenance free: No electrolyte or spare membranes needed

Temperature Range: 5 - 50 °C

Type: Lab ISE combination

Warranty: 6 months

What's included?: Includes: Sension+ 9652C combination Chloride ISE and Basic User Manual.

What's included?

Includes: Sension+ 9652C combination Chloride ISE and Basic User Manual.

Required Accessories

• Chloride Ionic Strength Adjustor (ISA) Powder Pillows, pk/100 (Item 2318069)